

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to:  
Box: PCT, Assistant Commissioner for Patents, Washington, D.C. 20231,

PATENT *[Signature]*

on May 13, 2002.

Attorney Docket No.  
DX01052K1

By: *Lois E. Miller*  
Lois E. Miller

CN 028008

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Neil A. BARCLAY, et al

Serial No.: 10/009,445

I.A. Filing Date: May 11, 2000

For: MAMMALIAN PROTEINS; RELATED  
REAGENTS AND METHODS

Examiner: not yet assigned

Art Unit: 1646

Palo Alto, California 94304

May 11, 2002

BOX PCT  
Assistant Commissioner for Patents  
Washington, D.C. 20231

**REQUEST FOR AN EXTENSION OF TIME**  
**UNDER 37 C.F.R. 1.136(a)**

Sir:

Applicant(s) respectfully request(s) the grant of a ONE (1) month extension of time to respond to the Notice to File Missing Parts mailed February 11, 2002, in connection with the above-identified application, thus extending the time for response from April 11, 2002 to May 11, 2002. Since May 11, 2002, is a Saturday, the due date is carried to the next business day, Monday, May 13, 2002.

The fee for extension is calculated to be:

- \$110.00 (for a one-month extension under 37 CFR §1.17(a)(1))  
 \$400.00 (for a two-month extension under 37 CFR §1.17(a)(2))  
 \$920.00 (for a three-month extension under 37 CFR §1.17(a)(3))

The Commissioner is hereby authorized to charge the requisite fee to DNAX Deposit Account 04-1239. Please charge any additional fees or credit overpayment to DNAX Deposit Account No. 0-1239. This request is submitted in duplicate.

06/10/2002 SNAJARRO 00000003 041239 10009445  
Sale Ref: 00000003 DA# 041239 10009445  
01 FC:115 110.00 CH

Respectfully submitted,

By:

*Sheela Mohan-Peterson*  
Sheela Mohan-Peterson  
Attorney for Applicant(s)  
Registration No.: 41,201

Date: May 11, 2002

DNAX Research Institute  
901 California Avenue  
Palo Alto, CA 94304-1104  
Telephone: (650) 496-6400  
Facsimile No.: (650) 496-1200